

Tabla 2. Factores de riesgo de muerte durante el seguimiento

Variables	Personas-año en riesgo	Muertes	Tasa de mortalidad (x10 <sup>-3</sup> )	Riesgo relativo (IC 95%)
Edad (años)				
10-50	6615	35	5,3	1 (ref.)
51-59	3070	47	15,3	2,89 (1,83-4,62)
60-69	3872	114	29,4	5,56 (3,78-8,48)
70-79	2061	128	62,1	11,74 (8,02-17,58)
80-95	386	59	152,8	28,89 (18,70-45,32)
Sexo				
Mujer	8549	170	19,9	1 (ref.)
Varón	7454	213	28,6	1,44 (1,17-1,77)
Consumo de tabaco (paquetes-año)				
0	10631	231	21,7	1 (ref.)
1-15	1218	8	6,6	0,30 (0,13-0,61)
16-30	1724	33	19,1	0,88 (0,59-1,27)
31-50	1232	39	31,7	1,46 (1,01-2,05)
>50	1198	72	60,1	2,77 (2,09-3,62)
Creatinina sérica (mg/dl)				
<1,1	13309	259	19,5	1 (ref.)
1,1-1,3	2120	78	36,8	1,89 (1,45-2,44)
>1,3	510	44	86,3	4,43 (3,14-6,12)
Cardiopatía isquémica				
No	15504	341	22,0	1 (ref.)
Sí	500	42	84,0	3,82 (2,70-5,27)
Neoplasia				
No	14237	194	13,6	1 (ref.)
Sí	1767	189	106,9	7,85 (6,39-9,64)
EPOC				
No	15248	344	22,6	1 (ref.)
Sí	756	39	51,6	2,29 (1,60-3,19)
Diabetes mellitus				
No	15174	352	23,2	1 (ref.)
Sí	830	31	37,3	1,61 (1,08-2,33)
Hipertensión arterial				
No	14269	322	22,6	1 (ref.)
Sí	1734	61	35,2	1,56 (1,17-2,06)

EPOC: enfermedad pulmonar obstructiva crónica